



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/799,257	03/12/2004	Gabrielle Nelles	282658US8XCONT	8226
22850	7590	06/02/2009		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314				
EXAMINER				
BARTON, JEFFREY THOMAS				
ART UNIT		PAPER NUMBER		
1795				
NOTIFICATION DATE		DELIVERY MODE		
06/02/2009		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary

Application No.

10/799,257

Applicant(s)

NELLES ET AL.

Examiner

Jeffrey T. Barton

Art Unit

1795

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 3,25-38 and 42-48 is/are pending in the application.
- 4a) Of the above claim(s) 42-47 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3,25-38 and 48 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/S5108)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6 April 2009 has been entered.

Response to Amendment

2. The amendment filed on 6 April 2009 does not place the application in condition for allowance.

Status of Rejections Pending Since the Office Action of 4 November 2008

3. All previous rejections are withdrawn due to Applicant's amendment.

Election/Restrictions

4. Claims 42-47 stand withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 2 November 2007.

Claim Objections

5. Claim 48 is objected to because of the following informalities: at line 3 of the claim, "anhydrid" is recited, although "anhydride" was clearly intended. Appropriate correction is required.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 29, 31, 33, and 48 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 29, 31, and 33 recite "like" in a way that apparently gives examples of suitable materials (e.g. "like Al/Li, Mg/Ag" in line 4 of claim 29, "like N-carbazoles" in line 5 of claim 33 or "like TiO₂, SnO₂, ZnO, Sb₂O₃, and PbO" in lines 2-3 of claim 33. Such recitations are indefinite because it is unclear whether the lists are open to materials beyond those recited. There is also no basis for determining how similar a potential material must be to be considered to be "like" one of the recited materials. The claims should be amended to clearly state what materials are claimed.

In claim 48, it is unclear what limitation is intended by "a di- or monosubstituted perylenes with all possible substituents". "di- or monosubstituted" appears to limit the material to have only one or two substituents, but "all possible substituents" appears to contemplate larger numbers of substituents.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

11. Claims 3, 27-31, 33, 34, and 36-38 rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al (Chem. Vap. Deposition. 4(3)109-114(1998)) in view of Nakamura (US 6,291,763) and Middelman et al. (WO 99/49483)

Goossens et al disclose a method for producing a hybrid organic solar cell having the structure "Substrate+EM/SOL/dye/HTM/EM" as claimed, comprising vapor deposition of the SOL layer. (Experimental section, p. 114) CVD is used to deposit a TiO₂ SOL layer on fluorine-doped tin oxide disposed on a substrate (1st full sentence below Table 1), which is used to make a dye-sensitized cell with the claimed structure. (Page 114, 2nd column)

Goossens et al do not explicitly teach vapor deposition of a dye or HTM layer, any specific substrate material (Claim 27), a flexible substrate (Claim 28), using indium tin oxide as a TCO (Claim 30), any of the claimed HTMs (Claim 31), using plural dyes in a cell (Claim 37), or using a doped HTM. (Claim 38)

Regarding claims 3 and 31, Nakamura discloses numerous hole transport materials, including triphenylamine derivatives and polythiophenes (Column 27, line 37 - Column 28, line 30; particularly column 27, line 60 and Column 28, lines 19-20), and teaches that these can be vapor-deposited. (Column 28, lines 31-35; vacuum evaporation)

Regarding claims 27 and 28, Nakamura discloses disposing dye-sensitized cells on numerous types of substrates, including flexible polymers. (Column 5, line 52 - Column 6, line 21; particularly Column 6, lines 8-11)

Regarding claim 30, Nakamura discloses a variety of TCO materials, including ITO. (Column 5, lines 52-65)

Regarding claim 31, Nakamura discloses numerous hole transport materials, including triphenylamine derivatives and polythiophenes. (Column 27, line 37 - Column 28, line 30; particularly column 27, line 60 and Column 28, lines 19-20)

Regarding claim 37, Nakamura discloses using more than one dye in a cell. (Column 8, lines 10-13)

Regarding claim 38, Nakamura discloses a doped HTM. (Column 28, lines 23-30)

Middelman et al is cited as teaching that there are numerous known ways of applying photosensitizing dye to a titanium oxide layer in a photovoltaic cell, such as dipping in a solution or vacuum evaporation. Page 7, lines 23-27) Vacuum evaporation is a vapor deposition method.

Regarding claims 3, 31, and 38, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by replacing the redox-couple electrolyte with a solid doped hole-transporting material, as taught by Nakamura, because it would reduce concerns with leaks and solvent evaporation in self-contained cells. All of the materials listed by Nakamura are known to be suitable for hole transport in this class of cells, and the selection of any would have been obvious to a skilled artisan. It would further have been obvious to deposit such a hole transport material by vacuum evaporation, because Nakamura teaches that vacuum evaporation is a suitable way of providing the organic

HTM layer. A skilled artisan would have turned to such conventional ways of providing the layers taught in the prior art.

In addition, regarding claim 3, it would also have been obvious to select vacuum evaporation as the way of applying dye to the titanium oxide layer of Goossens et al, as taught by Middelman et al, because Middelman et al teaches this as a conventional way of applying dye to titanium oxide in a dye sensitized cell. Selection of any among the conventional ways of applying dye, such as those listed by Middelman et al, would have been obvious to one having ordinary skill in the art.

Regarding claims 27 and 28, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by specifically using a flexible polymeric substrate, as taught by Nakamura, because Nakamura suggests that these are "competitive" (Column 6, lines 9-11), and a skilled artisan would have recognized the desirability, convenience, and marketability of flexible solar cells as being highly desirable.

Regarding claim 30, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by using indium tin oxide as the transparent conductor, as taught by Nakamura, because indium tin oxide is recognized in the art as essentially equivalent to fluorine-doped tin oxide in its function as a transparent conductor, as evidenced by Nakamura listing them together, describing both as being suitable. (Column 5, lines 59-63) The choice of either would have been obvious to one having ordinary skill in the art.

Regarding claim 36, the Examiner's position is that the thickness of the semiconducting oxide layer is a parameter variable by a skilled artisan, depending on the desired degree of transparency, for instance, where two TCO materials are used as electrodes. The principle by which the cells function is not altered by this thickness, and the Federal Circuit has held that, where the only difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device. *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), *cert. denied*, 469 U.S. 830, 225 USPQ 232 (1984). Since the dye penetrates through much of the depth of the semiconducting oxide in cells of this type, a dye layer with the claimed thickness would obviously be present in a cell with the claimed oxide layer thickness.

Regarding claim 37, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by using more than one dye in a cell, as taught by Nakamura, because Nakamura teaches that this broadens the region of wavelength conversion, which increases cell efficiency. (Column 8, lines 10-13)

12. Claims 3, 29-34, 36, and 38 rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al in view of Saurer et al (US 5,482,570), Tang (US 4,164,431), and Middelmann et al. (WO 99/49483)

Goossens et al disclose a method for producing a hybrid organic solar cell having the structure "Substrate+EM/SOL/dye/HTM/EM" as claimed, comprising vapor deposition of the SOL layer. (Experimental section, p. 114) CVD is used to deposit a TiO₂ SOL layer on fluorine-doped tin oxide disposed on a substrate (1st full sentence below Table 1), which is used to make a dye-sensitized cell with the claimed structure. (Page 114, 2nd column)

Goossens et al do not explicitly teach vapor deposition of a dye or HTM layer, using indium tin oxide as a TCO (Claim 30), any of the claimed HTMs (Claims 31 and 32) or using a doped HTM. (Claim 38)

Saurer et al teach a method of making a hybrid solar cell including using an indium tin oxide electrode material (Column 3, lines 30-35; Column 4, lines 42-48; Figure 5), and using doped phthalocyanines, such as copper phthalocyanine as a hole transport material. (Column 6, lines 36-57; with an n-type titanium dioxide electrode, such material lying between the electrodes is inherently a hole-transporting material in a functional cell, and should obviously be p-type) The titanium dioxide electrode of Saurer et al is disclosed as being as thin as 100 nm. (Column 4, lines 54-56) Saurer et al are silent concerning how a copper phthalocyanine layer is made.

Tang teaches that copper phthalocyanine layers can be deposited by vapor sublimation. (Column 13, lines 58-61)

Middelmann et al is cited as teaching that there are numerous known ways of applying photosensitizing dye to a titanium oxide layer in a photovoltaic cell, such as

dipping in a solution or vacuum evaporation. Page 7, lines 23-27) Vacuum evaporation is a vapor deposition method.

Regarding claims 3, 31, 32, and 38, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by replacing the redox-couple electrolyte with a solid hole transport material, such as doped CuPc, as taught by Saurer et al, because it would reduce concerns with leaks and solvent evaporation in self-contained cells and because Saurer et al teach these materials' suitability in carrying out this function in hybrid cells. It would further have been obvious to deposit such a copper phthalocyanine layer by vapor sublimation, as taught by Tang et al, because Tang teaches that this is an effective way of preparing a copper phthalocyanine layer. Particularly since Saurer et al are silent as to how the copper phthalocyanine layer is deposited, a skilled artisan would have turned to the related art, such as Tang, to select an appropriate way of preparing the copper phthalocyanine layer.

In addition, regarding claim 3, it would also have been obvious to select vacuum evaporation as the way of applying dye to the titanium oxide layer of Goossens et al, as taught by Middelman et al, because Middelman et al teaches this as a conventional way of applying dye to titanium oxide in a dye sensitized cell. Selection of any among the conventional ways of applying dye, such as those listed by Middelman et al, would have been obvious to one having ordinary skill in the art.

Regarding claim 30, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by

using indium tin oxide as the transparent conductor, as taught by Saurer et al, because indium tin oxide is recognized in the art as essentially equivalent to fluorine-doped tin oxide in its function as a transparent conductor, as evidenced by Saurer et al listing them together, describing both as being suitable. (Column 3, lines 30-35; Column 4, lines 42-48) The choice of either would have been obvious to one having ordinary skill in the art.

Regarding claim 36, the Examiner's position is that the thickness of the semiconducting oxide layer is a parameter variable by a skilled artisan, depending on the desired degree of transparency, for instance, where two TCO materials are used as electrodes. The principle by which the cells function is not altered by this thickness, and the Federal Circuit has held that, where the only difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device. *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), *cert. denied*, 469 U.S. 830, 225 USPQ 232 (1984). Since the dye penetrates through much of the depth of the semiconducting oxide in cells of this type, a dye layer with the claimed thickness would obviously be present in a cell with the claimed oxide layer thickness.

13. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Nakamura, and Middelman et al as applied to claims 3, 27-31, 33, 34, and 36-38 above, and further in view of Yu et al.

Goossens et al, Nakamura, and Middelmann et al are relied upon for the reasons given above. In addition, Nakamura teaches polyphenylenevinylenes among the solid organic hole transfer materials useful in dye-sensitized cells. (Column 28, lines 17-18)

None among Goossens et al, Nakamura, and Middelmann et al explicitly teaches providing a layer of lithium fluoride near an electrode material, or such a layer having a thickness of 0.1 to 50 Å.

Yu et al teach that a 1-30 nm film of LiF between a polyphenylenevinylene semiconductor layer and an aluminum counter electrode improves the short circuit current and off-state voltage of a photovoltaic device. (Column 19, lines 55-58)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the method of Goossens et al by using a 1-30 nm film of LiF between the HTM and Al counter electrode, as taught by Yu et al, because Yu et al teach that this improves the short circuit current and off-state voltage of a photovoltaic device. (Column 19, lines 55-58)

14. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Saurer et al, Tang, and Middelmann as applied to claims 3, 29-34, 36, and 38 above, and further in view of Yu et al.

Goossens et al, Saurer et al, Tang, and Middelmann et al are relied upon for the reasons given above.

None among Goossens et al, Saurer et al, Tang, and Middelmann et al explicitly teaches providing a layer of lithium fluoride near an electrode material, or such a layer having a thickness of 0.1 to 50 Å.

Yu et al teach that a 1-30 nm film of LiF between an organic semiconductor layer and an aluminum counter electrode improves the short circuit current and off-state voltage of a photovoltaic device. (Column 19, lines 55-58)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the method of Goossens et al by using a 1-30 nm film of LiF between the HTM and Al counter electrode, as taught by Yu et al, because Yu et al teach that this improves the short circuit current and off-state voltage of a photovoltaic device. (Column 19, lines 55-58).

15. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Nakamura, and Middelmann et al as applied to claims 3, 27-31, 33, 34, and 36-38 above, and further in view of Yamamoto et al.

Goossens et al, Nakamura, and Middelmann et al are relied upon for the reasons given above.

None among Goossens et al, Nakamura, and Middelmann et al explicitly teaches increasing the surfaces as claimed.

Yamamoto et al teach that TCOs used as front electrodes in solar cells conventionally are textured, in order to increase light scattering, and thus the path length of the light, leading to increased absorption and cell efficiency. (Column 1, line 45

- Column 2, line 15) Such texture will inherently increase the interface surface area of the materials deposited on the TCO.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the method of Goossens et al by using a textured indium tin oxide TCO, as taught by Yamamoto et al, because Yamamoto et al teach that the use of a textured TCO increases cell efficiency by increasing the path length of light through the cell. A skilled artisan would have recognized that such an advantage is desirable in any class of solar cell.

16. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Saurer et al, Tang, and Middelma et al as applied to claims 3, 29-34, 36, and 38 above, and further in view of Yamamoto et al.

Goossens et al, Saurer et al, Tang, and Middelma et al are relied upon for the reasons given above.

None among Goossens et al, Saurer et al, Tang, and Middelma et al explicitly teaches increasing the surfaces as claimed.

Yamamoto et al teach that TCOs used as front electrodes in solar cells conventionally are textured, in order to increase light scattering, and thus the path length of the light, leading to increased absorption and cell efficiency. (Column 1, line 45
- Column 2, line 15) Such texture will inherently increase the interface surface area of the materials deposited on the TCO.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the method of Goossens et al by using a textured indium tin oxide TCO, as taught by Yamamoto et al, because Yamamoto et al teach that the use of a textured TCO increases cell efficiency by increasing the path length of light through the cell. A skilled artisan would have recognized that such an advantage is desirable in any class of solar cell.

17. Claims 35 and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Nakamura, and Middelman et al as applied to claims 3, 27-31, 33, 34, and 36-38 above, and further in view of Sakurai et al. (US 6,310,282)

Goossens et al, Nakamura, and Middelman et al are relied upon for the reasons given above.

None among Goossens et al, Nakamura, and Middelman et al explicitly teaches a dye that is a di- or monosubstituted perylene as claimed.

Sakurai et al teach dye sensitized photovoltaic cells in which a perylene diimide is used as the sensitizing dye. (Column 14, line 66 - Column 15, line 6; Column 31, line 56-62; Column 33, lines 31-38)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by replacing the ruthenium dye with a perylene diimide dye, as taught by Sakurai et al, because Sakurai et al teaches the suitability of perylene diimide dyes as dyes for use in dye sensitized photovoltaic cells. The selection of a known material based on its suitability for its

intended use supported a prima facie obviousness determination in *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945).

18. Claims 35 and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goossens et al, Saurer et al, Tang, and Middelmann et al as applied to claims 3, 29-34, 36, and 38 above, and further in view of Sakurai et al. (US 6,310,282)

Goossens et al, Saurer et al, Tang, and Middelmann et al are relied upon for the reasons given above.

None among Goossens et al, Saurer et al, Tang, and Middelmann et al explicitly teaches a dye that is a di- or monosubstituted perylene as claimed.

Sakurai et al teach dye sensitized photovoltaic cells in which a perylene diimide is used as the sensitizing dye. (Column 14, line 66 - Column 15, line 6; Column 31, line 56-62; Column 33, lines 31-38)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Goossens et al by replacing the ruthenium dye with a perylene diimide dye, as taught by Sakurai et al, because Sakurai et al teaches the suitability of perylene diimide dyes as dyes for use in dye sensitized photovoltaic cells. The selection of a known material based on its suitability for its intended use supported a prima facie obviousness determination in *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945).

Double Patenting

19. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

20. Claims 3, 25-38, and 48 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 26-50 of U.S. Patent No. 6,706,962 (Hereinafter the '962 patent) in view of Nakamura and Middelman et al. The main differences between the instant claims and claims 26-50 of the '962 patent are that the instant claims require vapor deposition of the HTM and dye layers and the '962 patent requires physical vapor deposition. Note that physical vapor deposition is a type of vapor deposition as claimed. Furthermore, Nakamura teaches vapor deposition of HTM layers and Middelman et al teaches vapor deposition of dyes in dye sensitized photovoltaic cells, which are considered to be obvious modifications of the '962 patent methods for the same reasons given in detail in the rejections above. In particular, such

modification amounts to selection of conventional ways of providing the layers recited in the '962 patent's claims.

Response to Arguments

21. Applicant's arguments filed 4 March 2009 have been fully considered but they are moot in view of the new grounds of rejection.

Applicant argues that Goossens et al in view of Nakamura fails to teach vapor deposition of the dye layer, as required in the amended claim. The Examiner agrees that the previous combination was deficient, but disagrees with Applicant's contention that such limitation provides patentable distinction from the prior art. As demonstrated by Middelman et al, vacuum evaporation of dye onto titanium oxide electrodes to form dye sensitized cells was known in the art, and the Examiner maintains that such selection of a conventional way of providing the dye required by Goossens et al would have been obvious to one having ordinary skill in the art.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Jeffrey T. Barton whose telephone number is (571)272-1307. The examiner can normally be reached on M-F 9:00AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jeffrey T. Barton/
Examiner, Art Unit 1795
27 May 2009